

Work Order ID 82289-1

82289

Page 1

March-28-12 12:54:56 PM

Item ID: D4436-043

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Aft Outboard Bracket Assembly

Stop *NS2*

Start Date: 28/03/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/04/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: MLS

Date: 12/03/28

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4436

A

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut D4436-1 as per Dwg

Dwg Rev: A

Prog Rev: A

2-Deburr if necessary

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

6 0 Jm 12-4-30

6 0 Jm 12-4-30

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82289

March-28-12 12:54:56 PM

82289

Page 2

Item ID: D4436-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Aft Outboard Bracket Assembly
Start Date: 28/03/2012 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 11/04/2012 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00		51264130		(46)			
130 *130* Brake NC Brake NC	Bend as per dwg Memo	0.00 0.00				(6)			85 12/05/09
140 *140* Small Fab Small Fab	 Memo C"SINK AS PER DWG	0.00 0.00				6x	Ø		95 12/05/09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82289

March-28-12 12:54:56 PM

82289

Page 3

Item ID: D4436-043

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Aft Outboard Bracket Assembly

Stop ***NS2***

Start Date: 28/03/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/04/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC5- Inspect part completeness to step on W/O	0.00							
150									
QC	Memo	0.00							
Quality Control									
160	Chemical Conversion Coat per QSI005 4.1	0.00							
160									
HandFinish	Memo	0.00							
Hand Finishing									
170	QC3- Inspect Part Finish	0.00							
170									
QC	Memo	0.00							
Quality Control									

Sketch

(26)

(6)

MG 125-2

6

0

BA52

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82289

March-28-12 12:54:56 PM

82289

Page 4

Item ID: D4436-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Aft Outboard Bracket Assembly
 Start Date: 28/03/2012 Start Qty: 6.00 *6* Cust Item ID:
 Required Date: 11/04/2012 Req'd Qty: 6.00 *6* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180		0.00							
180									
Small Fab	Memo	0.00							
Small Fab	Assemble as per dwg, do not install rubber seal.								
185	QC5- Inspect part completeness to step on W/O	0.00							
185									
QC	Memo	0.00							
Quality Control									
190	Black Sandtex(Ref:4.3.5.7) per QSI005 4.3	0.00							
190									
Powdercoat	Memo	0.00							
Powder Coating	START TIME: 3:30 OVEN TEMPERATURE: 320°F FINISH TIME: 4:00								

M117338

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82289

82289

Page 5

March-28-12 12:54:56 PM

Item ID: D4436-043

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Aft Outboard Bracket Assembly

Stop

NS2

Start Date: 28/03/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/04/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

200

QC3- Inspect Part Finish

0.00

200

QC

Memo

0.00

Quality Control

6 0 1259

202

0.00

202

Small Fab

Memo

0.00

Small Fab

Install rubber seal as per dwg

3M 1300 batch:

120954
122346 x 4

FF
12-08-28

205

QC5- Inspect part completeness to step on W/O

0.00

205

QC

Memo

0.00

Quality Control

DA 306 4
12/08/28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82289

March-28-12 12:54:56 PM

82289

Page 6

Item ID: D4436-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Outboard Bracket Assembly

Start Date: 28/03/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/04/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210	Identify as per dwg & Stock Location: <u>GA</u>	0.00							
210									
Packaging	Memo	0.00				4	0		FF 12-08-29
Packaging									
220	QC21- Final Inspection - Work Order Release	0.00							
220									
QC	Memo	0.00							MS 12/08/30
Quality Control									

U 120829

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March-28-12 12:55:03 PM

Page 1

2

Work Order ID: 82289

82289

Parent Item: D4436-043

D4436-043

Parent Item Name: Aft Outboard Bracket Assembly

Start Date: 28/03/2012

Required Date: 11/04/2012

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP revA 11.10.06 new issue EC verified by:DD
12.01.24 PER DWG REV.A DD VERF:EC

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M6061T6S.040

Purchased

No

100

sf

452.5000

1.59

10.04211

M6061T6S 040

**

6061-T6 .040 Sheet

Location

Loc Qty

Loc Code

MAT021

452.5

121030

164.5

121099

288

MS20426AD3-2

Purchased

No

180

Each

18,319.00

4

MS20426AD3-2

**

Rivet

Location

Loc Qty

Loc Code

Mezz

18319

1173

8919

13276

9400

MS21075L08

Purchased

No

180

Each

249.0000

2

12

MS21075L 08

**

ANCHOR NUT

Location

Loc Qty

Loc Code

ST303

219

111578

2

120560

217

ST308

30

120930

30

12-05-08
12-04-30
121099
24 10.1
12/05/08
12/10/11 (24x)
12/05/08
12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March-28-12 12:55:03 PM

Page 2

Work Order ID: 82289

82289

Parent Item: D4436-043

D4436-043

Parent Item Name: Aft Outboard Bracket Assembly

Start Date: 28/03/2012

Required Date: 11/04/2012

Start Qty: 6.00

Required Qty: 6.00

D4441-1

Manufactured No

202 f

182.6290 1.408 8.448

D4441-1

**

Rubber Seal

(4) FF 12-08-20

Location

Loc Qty

Loc Code

prelim 86185

6.739

5.632

74760

6.739

ST413

175.89

79385

165.99

2.816

80763

9.9

cut qty 1 to 16.00"

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	PART NUMBER	DESCRIPTION
1	X	D4436-041	AFT BRACKET ASSEMBLY
2	1	D4435-043	BRACKET ASSEMBLY
3	1	D4436-043	AFT OUTBOARD BRACKET ASSEMBLY
4	1	D4436-045	AFT INBOARD BRACKET ASSEMBLY
5	1	D4440-1	GROMMET
6	4	AN525-832R6	SCREW



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 82289 MLJ
12/03/28

D4436-041 AFT BRACKET ASSEMBLY

- NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 1.31 lbs
8) TORQUE SCREW TO 12-15 (in-lb)

A		NEW ISSUE		RF	12.01.17
REV.	DESCRIPTION			BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4436 TITLE COVER ASSEMBLY COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		REV. A	SHEET 1 OF 7
DRAWN	RF			SCALE	NTS
CHECKED	<i>[Signature]</i>				
MFG. APPR.	<i>[Signature]</i>				
APPROVED	<i>[Signature]</i>				
DE APPR.	<i>[Signature]</i>	DATE 12.01.17			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4436-043	AFT OUTBOARD BRACKET ASSEMBLY
2	1	D4436-1	BRACKET
3	1	D4441-1-160	RUBBER SEAL
4	4	MS20426AD3-2	RIVET
5	2	MS21075L08	NUT PLATE
6	A/R	3M 1300/1300L	ADHESIVE



D4436-043 AFT OUTBOARD BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDEX" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.78 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL.
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D4436	REV. A
MFG. APPR.	RF		SHEET 2 OF 7
APPROVED	RF	TITLE COVER ASSEMBLY	SCALE NTS
DE APPR.	RF		
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

82289

2012-01-23

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY .045	PART NUMBER	DESCRIPTION
1	X	D4436-045	AFT INBOARD BRACKET ASSEMBLY
2	1	D4436-3	BRACKET
3	1	D4441-1-038	RUBBER SEAL
4	1	D4441-1-100	RUBBER SEAL
5	4	MS20426AD3-2	RIVET
6	2	MS20470AD4-3	RIVET
7	2	MS21075L08	NUT PLATE
8	1	MS35489-19	GROMMET
9	A/R	3M 1300/1300L	ADHESIVE



D4436-045 AFT INBOARD BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.42 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE,
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL.
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4436	SHEET 3 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	COVER ASSEMBLY	NTS
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. NO REPRODUCTION OR COMMUNICATION TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2012-01-23
[Signature]

82289




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



82289

D4436-1 BRACKET

RELEASE
2012-01-23

- NOTES:**
- 1) MATERIAL: MAKE FROM D4436-1F FLAT PATTERN
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.69 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4436	SHEET 4 OF 7
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	COVER ASSEMBLY	NTS
DATE	12.01.17	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



82289



D4436-3 BRACKET

NOTES:

- 1) MATERIAL: MAKE FROM D4436-3F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.33 lbs
- 8) TRANSFER $\varnothing 0.129$ HOLES THRU 2 PLACES

RELEASE
11 252-31-23

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4436	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 6 OF 7	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	COVER ASSEMBLY	NTS
DATE	12.01.17	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



RELEASED
2012-01-23

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4436	SHEET 7 OF 7
APPROVED		TITLE	SCALE
DE APPR.		COVER ASSEMBLY	NTS
DATE	12.01.17	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

